

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	98560	bidirectional bi adj directional	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/24 08:03
S2	198	haskell and (bidirectional bi adj directional)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/20 14:19
S3	1	"20030014220".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/21 10:20
S4	17646	(functional declarative rule adj based) near5 (language program\$4 cod\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 12:22
S5	6059	(functional declarative rule adj based) adj3 (language program\$4 cod\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 12:22
S6	18	haskell and lisp	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 12:24
S7	11	((functional declarative rule adj based) adj3 (language program\$4 cod\$3)) and (haskell and lisp)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 12:43
S8	1743	(bidirectional bi adj directional) near5 (display transform\$5 language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 12:42
S9	24	((bidirectional bi adj directional) near5 (display transform\$5 language)) and ((functional declarative rule adj based) adj3 (language program\$4 cod\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 12:43
S10	68	717/117.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/10/17 12:46
S30	108038	bidirectional bi adj directional	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08

S31	227	haskell and (bidirectional bi adj directional)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S32	1	"20030014220".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:30
S33	20011	(functional declarative rule adj based) near5 (language program\$4 cod\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S34	6725	(functional declarative rule adj based) adj3 (language program\$4 cod\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S35	21	haskell and lisp	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S36	11	((functional declarative rule adj based) adj3 (language program\$4 cod\$3)) and (haskell and lisp)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S37	1895	(bidirectional bi adj directional) near5 (display transform\$5 language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S38	27	((bidirectional bi adj directional) near5 (display transform\$5 language)) and ((functional declarative rule adj based) adj3 (language program\$4 cod\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S39	77	717/117.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/05/04 15:08
S40	193	sequential run\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:51
S41	1713	character (reorder\$3 or order\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:31
S42	2	S41 and functional program\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:58

S43	1	S41 and S40	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:33
S44	3	S40 and character stream	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:51
S45	88	S40 and stream	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:51
S46	0	(sequential run\$1) near (character stream or stream)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:52
S48	2	(sequential run\$1) near5 ((character stream) or stream)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:53
S49	2	S41 and functional near program\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:54
S50	8	S41 and functional near3 program\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	ADJ	ON	2005/05/04 15:54